



## Master Catalogue



OCTOBER 2022 EDITION



ILLUMINATING SPACES WITH THE GRAND SIZE  
OF TILES AND ITS UNIQUE DESIGNS

WE CREATE

# Colossal

PRODUCT RANGE

**1200**  
**X**  
**2400**  
**mm**


MIGHTY SIZE

A floor made of large tiles makes any room up-to-date. The minimum width grout joints are used beautifully that makes your surface consistent with the rectified edges & sure gives utter elegance.



Versatile solutions   Easier to lay   Resistant to chemical   Resistant to loads   Resistant to stains   Wide range

\*




**GALAXY STATUARIO (BOOK MATCH)**   **BOOK MATCH A+B**




\*




**GRONZA WHITE**   **BOOK MATCH A+B**



\*




**ALTIMO WHITE (BOOK MATCH)**   **BOOK MATCH A+B**



\*



**COVELANO LASA (BOOK MATCH)**   **BOOK MATCH A+B**





**BROCKEN BRECIA (BOOK MATCH)** BOOK MATCH A+B



**BRECCIA MONET** BOOK MATCH A+B



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



**CHIFFON BEIGE** BOOK MATCH A+B



**BETHANY BLUE** BOOK MATCH A+B



\*




ALONZO BLUE 8 FACE BOOK MATCH

\*



ELITE BLACK BOOK MATCH A+B



FLOOR & WALL : ALONZO BLUE

\*



PATAGONIA BOOK MATCH

BOOK MATCH A+B




\*



AERON GREY

BOOK MATCH A+B




FLOOR & WALL : PATAGONIA BOOK MATCH

\*



STATUARIO BELGIA (CONTINUE) 3 FACE CONTINUE

\*



STATUARIO AFYON 3 FACE CONTINUE




\*Continue Series



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range


\* 



PACIFIC WHITE 4 FACE CONTINUE



\*



EMBER WHITE 3 FACE CONTINUE



\*Continue Series  Ready To Load

-   
Versatile solutions
-   
Easier to lay
-   
Resistant to chemical
-   
Resistant to loads
-   
Resistant to stains
-   
Wide range

\*



HOIST WHITE 3 FACE CONTINUE



\*



GLORIOUS WHITE (CONTINUE) 3 FACE CONTINUE




\*



ATLANTIC WHITE (CONTINUE) 2 FACE CONTINUE



\*





IMPACT STATUARIO (CONTINUE) 3 FACE CONTINUE








**BETEL WHITE** 2 RANDOM




**STATUARIO GOLD** 3 RANDOM



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



**ATLANTIC WHITE** 2 RANDOM



**SUMMER WHITE** 4 RANDOM






WALL : ATLANTIC WHITE | FLOOR : ATLANTIC WHITE

\*



SUMMER WHITE

BOOK MATCH A+B





FLOOR & WALL : SUMMER WHITE

\*



M 1001


1 RANDOM



WALL : M 1001



ALEX CALACATTA 3 RANDOM



ONYX LUXURY 3 RANDOM



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



ZED ONYX ICE 4 RANDOM




ZED ONYX CLASSIC 4 RANDOM





REGAL NATURAL 3 RANDOM

REGAL BEIGE 3 RANDOM



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



ELIZA BEIGE 3 RANDOM

VICTORIA BEIGE 4 RANDOM





TRAVENTINO CREMA 2 RANDOM

DYNA SUPREME 2 RANDOM



FLOOR : DYNA SUPREME



LAVANET BEIGE 3 RANDOM



BERLIM BEIGE 2 RANDOM




Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



DEVCI CREMA 2 RANDOM



DEVCI GREY 2 RANDOM







BRECCIA BEIGE 3 RANDOM

BRECCIA LAVA 2 RANDOM



FLOOR : BRECCIA BEIGE

\*



BRECCIA CAPRAIA 4 RANDOM



\*



ARENA DUNE 2 RANDOM




Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range

\*



PORTORO GOLD 2 RANDOM



\*



PORTORO 2 RANDOM





SONATA WHITE 3 RANDOM



SONATA BRONZE 3 RANDOM



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



TITANIUM BROWN 3 RANDOM



TITANIUM NATURAL 3 RANDOM





BIANCO LASA 2 RANDOM



LEVANTO BROWN 4 RANDOM



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



LEVANTO LIGHT 4 RANDOM



LEVANTO NATURAL 4 RANDOM





ARMANI BEIGE 2 RANDOM



ARMANI GOLD 2 RANDOM




Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range




ARMANI GREY 2 RANDOM



ARMANI GRIS 2 RANDOM





WALL : ARMANI BEIGE & ARMANI GOLD | FLOOR : ARMANI BEIGE


\*



FOREST BROWN 2 RANDOM



\*



TOPAZ BROWN 1 RANDOM



-   
Versatile solutions
-   
Easier to lay
-   
Resistant to chemical
-   
Resistant to loads
-   
Resistant to stains
-   
Wide range

\* 



PATAGONIA 3 RANDOM



\*



EXOTIC WHITE 2 RANDOM





TURKE LANA 1 RANDOM



CRISTAN STONE 2 RANDOM



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



ICE BERG BLUE 3 RANDOM



ARISTONE CERUBE 2 FACE CONTINUE







Versatile solutions   Easier to lay   Resistant to chemical   Resistant to loads   Resistant to stains   Wide range

\*



\*



\*





TRAVENTINO BEIGE 1 RANDOM

SEMOND PAUL 2 RANDOM

TRIESTA NOIR 3 RANDOM

RAINBOW BROWN 2 RANDOM






Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range




BLACK RIVER 4 RANDOM




AZUL CIELO 3 RANDOM



NERO MARQUINA 3 RANDOM



SAHARA BLACK 2 RANDOM






NARDO GREY 2 RANDOM



\*



PALETHORN 3 RANDOM



\*Dark High Glossy Series



FLOOR & WALL : NARDO GREY



SUMMER WHITE 4 RANDOM



REGAL NATURAL 3 RANDOM



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



ORION CREMA 4 RANDOM




ORION WHITE 4 RANDOM





Versatile solutions   Easier to lay   Resistant to chemical   Resistant to loads   Resistant to stains   Wide range




RIZ CEDAR      2 RANDOM

RIZ SILVER      2 RANDOM

CAPRON CREMA      3 RANDOM

CAPRON GREY      3 RANDOM





MEXXO SIENNA 4 RANDOM



MEXXO LIGHT 4 RANDOM



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range




TUNA ROCK ICE 2 RANDOM



TUNA ROCK GREY 2 RANDOM






SENTILIA BROWN 1 RANDOM



DUST 4 RANDOM




Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



MILANO SILVER 3 RANDOM



MILANO GREY 3 RANDOM





CORTEX CEDAR 2 RANDOM



CORTEX AZURE 2 RANDOM



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



SANDUNE CAFE 1 RANDOM



ROOST WOOD 1 RANDOM







MULBERRY WOOD DECOR 1 RANDOM



LENOX WOOD 2 RANDOM



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



MEPAL WOOD BROWN 5 RANDOM




MEPAL WOOD 5 RANDOM





BURBERRY BEIGE 2 RANDOM



BURBERRY BROWN 2 RANDOM



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



BURBERRY GREY 2 RANDOM






STUCCO BEIGE 2 RANDOM




CORTEN BEIGE 2 RANDOM



FLOOR : STUCCO BEIGE



RUBY QUARTZ SEAL 4 RANDOM



RUBY QUARTZ ASH 4 RANDOM



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



LURENT BROWN 5 RANDOM



LURENT BLUE 5 RANDOM





BRECCIA MARINO LATTE 2 RANDOM



BRECCIA MARINO NATURAL 2 RANDOM



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



BRECCIA MARINO ASH 2 RANDOM



## TECHNICAL SPECIFICATION OF SLAB VITRIFIED TILE

TEST DISCRPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	VALUE
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rapture(N/mm <sup>2</sup> )	IS-13630-6	Min. 35N/mm <sup>2</sup>	Min. 37N/mm <sup>2</sup>
Breaking Strength(N)	IS-13630-6	< 7.5mm-700N ≥ 7.5mm-1300N	≤ 7.5mm-1000N ≥ 7.5mm-1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As per Mfg.	Class I Min.
Co-Efficient of Linear Thermal Expansion	IS-13630-4	As per Mfg.	6.5x10 <sup>-4</sup> Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As per Mfg.	5 Cycles at 7.5Bar Pressure
Impact Resistance-Coefficient of Restitution	IS-13630-14	As per Mfg.	0.55 Min
Frost Resistance	IS-13630-10	As per Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc
CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	IS-13630-8	As per Mfg.	Min. Class A
Slip Resistance	150-13006/EN1444 Group B A	As per Mfg.	As per Mfg.

## PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200x2400mm	9mm	1 pcs.	2.88 sq. mtr.	60 kg
02	800x1600mm	9mm	2 pcs.	2.56 sq. mtr.	53 kg
03	1200X1800mm	9mm	2 pcs.	4.32 sq. mtr.	92 kg

## ADVOC CERAMIC

8-A National Highway, Sartanpar Road,  
At. Ratavirda, Tal : Wankaner, Morbi-363642 (Guj.) India.

 +91 90992 96699  info@advocceramic.com